Electrolux thermaline S90

4-burners boiling top on base

The Electrolux thermaline S90 cooking equipment is designed for the very heavy duty requirements of small institutions, hotels and restaurants. The range consists of a wide choice of modular elements that can be installed as individual free-standing or wall mounted units, or assembled into a complete cooking suite. Construction based on an internal stainless steel frame combined with a new plug-connection system ensures that individual modules can be solidly connected with a virtually seamless working surface.The modules described in detail on this sheet have 4 independently controlled open burners, mounted on a base unit. These models are available for operation either on one side only or from both sides to suit a central cooking island. The installation options floor mounted on 200mm high feet or on a plinth that can be either in stainless steel or of masonry construction.

599516+SS plinth+shelf fixation

EASY TO USE
• Two different sizes of burners to suit different cooking requirements from rapid boiling to a gentle simmer process.
• Manual gas valves with fixed high and low positions allow precise control of the flame intensity.
• Large sized pan support in cast iron with long center fins to allow the use of the largest down to the smallest pans.
• The level of the pan support and the top of the unit is the same, which means it is possible to move pans around the surface without lifting.

EASY TO MAINTAIN
• Removable pan supports, burner rings and flame ignition components.
• Simply, convenient operation with highly visible control panels and knobs.
• Gas main valve built in as standard.

EASY ON THE ENVIRONMENT
• 98% of the unit is recyclable by weight.
• Packing free of toxic substances.

MATERIALS
• Body and base compartment are made of stainless steel AISI 304 and pan supports are made of cast iron.
• 3 mm work top in AISI 304 stainless steel.
• “Lasertec connection system” in AISI 304 stainless steel creates a nearly seamless work top .

APPROVALS
• The appliances are IPX5 certified against water jets.
• All appliances are developed and assembled according to European safety and hygiene standards and are CE marked.

MODELS
• All the models are delivered with four square stainless steel feet.
• Some models are supplied with the Ecoflam pan detection system, which has the advantage of saving energy and reducing unnecessary heat radiation in the kitchen.
• The models installed against the wall have a C-board of 43 mm. The C-board on the rear side of the appliances closes any kind of gap between the unit and the wall, for better hygiene.
• The 2 side operating models have a pass-through base.
• Available as variation models with open base in hygienic designed execution with large rounded corners for easier cleaning.

Electrolux

thermaline

Electrolux thermaline S90
4-burners boiling top on base

	GC1G21A1B 584244	GC1G21A1BF 584245	GC1G21A2B 584246	GC1G21A2BF 584247	GC1G21C1B 584248	GC1G21C1BF 584249
TECHNICAL DATA						
Power supply	Gas	Gas	Gas	Gas	Gas	Gas
Installation	Standing as an island; Standing back to back	Standing as an island; Standing back to back	Standing as an island	Standing as an island	Standing against wall; Standing back to back; Wall mounted	Standing against wall; Standing back to back; Wall mounted
Configuration	One-Side Operated	One-Side Operated	Both-Sides Operated	Both-Sides Operated	One-Side Operated	One-Side Operated
External dimensions - mm						
width	1000	1000	1000	1000	1000	1000
depth	900	900	900	900	900	900
height	900	900	900	900	900	900
Storage cupboard - mm						
width	770	770	770	770	770	770
depth	738	738	860	860	738	738
height	358	358	358	358	358	358
Back burner dimensions - mm	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440
Back burners power - kW	7, 5	7, 5	7, 5	7, 5	7, 5	7, 5
Front burners dimension - mm	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440	420x440, 420x440
Front burners power - kW	5, 7	5, 7	5, 7	5, 7	5, 7	5, 7
Power - kW						
gas	24	24	24	24	24	24
Net weight - kg.	120	120	120	120	120	120
INCLUDED ACCESSORIES						
PAN REST CAST-IRON-430X399 MM	1	1	1	1	1	1
ACCESSORIES						
FLEXIBLE CONNECTION HOSE 3/4''	910720	910720	910720	910720	910720	910720
KIT BACK TO BACK INSTALLATION C-BOARD					911845	911845
KIT FOR BACK TO BACK INSTALLATION,1-PCE	911619	911619				
KIT FOR WALL MOUNTING H = 700MM	911670	911670			911670	911670
LOWER SIDE PANEL WALL MOUNTING 300 MM LE	911671	911671			911671	911671
LOWER SIDE PANEL WALL MOUNTING 300 MM RI	911672	911672			911672	911672
PAN REST STAINLESS STEEL-430X380 MM	910729	910729	910729	910729	910729	910729
PORTIONING SHELF 1000X130 MM	911856	911856	911856	911856	911856	911856
PORTIONING SHELF 1000X200 MM	911878	911878	911878	911878	911878	911878
S/S FRONT KICKING STRIP 1000MM - WALL	911560	911560			911560	911560
S/S FRONT+BACK KICKING STRIP 1000MM - FS	911533	911533	911533	911533		
S/S SIDE KICKING STRIPS BACK TO BACK C-B					911844	911844
S/S SIDE KICKING STRIPS L+R-BACK-TO-BACK	911640	911640				
S/S SIDE KICKING STRIPS LEFT+RIGHT - FS	911638	911638	911638	911638		
S/S SIDE KICKING STRIPS LEFT+RIGHT -WALL	911639	911639			911639	911639
S90 PAN REST CNS 430X430 MM THERMA	911988	911988	911988	911988	911988	911988
SHELF FIXATION F.OPEN&HOT BASE 800,2-S			910772	910772		
SHELF FIXATION FOR OPEN&HOT BASE,1-S	910771	910771			910771	910771
SHELF FOR OPEN & HOT BASE 900,W=1000,2-S			910782	910782		
SHELF FOR OPEN & HOT BASE,W=1000,1-S	910783	910783			910783	910783
SIDE PANEL FREESTANDING	911949	911949	911949	911949		
SIDE PANEL LEFT - BACK TO BACK	911955	911955				
SIDE PANEL LEFT-AGAINST WALL, H=700MM	911953	911953				
SIDE PANEL LEFT-AGAINST WALL+CB,H=700MM					911951	911951
SIDE PANEL RIGHT - BACK TO BACK	911954	911954				
SIDE PANEL RIGHT-AGAINST WALL, H=700MM	911952	911952				
SIDE PANEL RIGHT-AGAINST WALL+CB,H=700MM					911950	911950
SOLID TOP PLATE F.OPEN BURNER-360X360MM	910718	910718	910718	910718	910718	910718

CFAA030
2010-05-28

Subject to change without notice

Electrolux thermaline S90
4-burners boiling top on base

584244, 584245



	GC1G21A1B 584244	GC1G21A1BF 584245
LEGEND		
G - Gas connection	3/4"	3/4"

CFAA030

2010-05-28

Subject to change without notice

Electrolux thermaline S90
4-burners boiling top on base

584246, 584247



	GC1G21A2B 584246	GC1G21A2BF 584247
LEGEND		
G - Gas connection	3/4"	3/4"

CFAA030

2010-05-28

Subject to change without notice

Electrolux thermaline S90
4-burners boiling top on base

584248, 584249



	GC1G21C1B 584248	GC1G21C1BF 584249
LEGEND		
G - Gas connection	3/4"	3/4"

CFAA030

2010-05-28

Subject to change without notice